


10391817 10395608

AVITAL 

TROTINA



Manufactured for
HORNBACH Baumarkt AG
Hornbachstrasse 11
76879 Bornheim/Germany
www.hornbach.com

20220412 V01



ST 4.2 x 30



A1 x 4

M 5 x 8



A2 x 1

Ø 6 x 30mm



A3 x 4




A4 x 2




A5 x 2

2.5mm
A6 x 1


B



C





D




L=1500mm

E




Ø 6mm




2


1







2




3






4




1



2




3





E3





E3





E1




6









B

D







	Ⓓ Empfohlen Ⓘ Consigliato Ⓢ Rekomenderat ⓈⓀ Odporúčané	Ⓕ Recommandé ⓃⓁ Aanbevolen ⒸⓏ Doporučeno ⓇⓄ Recomandat	Ⓓ Höchstens Ⓘ Massimo Ⓢ Maximal ⓈⓀ Maximum	Ⓕ Maximum ⓃⓁ Maximum ⒸⓏ Maximum ⓇⓄ Maxim
Ⓓ Betriebsdruck Ⓕ Pression de fonctionnement Ⓘ Pressione di esercizio ⓃⓁ Bedrijfsdruk Ⓢ Driftstryck ⒸⓏ Provozní tlak ⓈⓀ Prevádzkový tlak ⓇⓄ Presiunea de funcționare	0.5-5 bar		10 bar	
Ⓓ Wassertemperatur Ⓕ Température de l'eau Ⓘ Temperatura dell'acqua ⓃⓁ Watertemperatuur Ⓢ Vattentemperatur ⒸⓏ Teplota vody ⓈⓀ Teplota vody ⓇⓄ Temperatura apei	55-65		90	
Ⓓ Wasseranschluss Ⓕ Raccordement d'eau Ⓘ Allaccio acqua ⓃⓁ Watertoever Ⓢ Vattenanslutning ⒸⓏ Vodní přípojka ⓈⓀ Vodná prípojka ⓇⓄ Racord de apă	Ⓓ warm = links / kalt = rechts Ⓕ chaude = à gauche / froid = à droite Ⓘ calda = sinistra / fredda = destra ⓃⓁ warm = naar links / koud = naar rechts Ⓢ varmt = = vänster / kallt = höger ⒸⓏ teplá = vlevo / studená = vpravo ⓈⓀ teplá = vľavo / studená = vpravo ⓇⓄ cald = stânga / rece = dreapta			